

Micro Scorpio Head

"Any place you want to reach, we'll move the camera there"

Compact two axes remote Head compatible with all Scorpio & Mini Scorpio Head accesories.



*Mitchell
mount*



*Outside
PAN axis*



*Overslung
position*



Big cage



*New joystick
(main control)*




*28mm Tripod
mount*



New handwheels



New pan bar (jdr)




Technical specifications:

- Weight: 6 kg / 13,2 lb
- Max. payload: 12 kg / 26,45 lb
- Max. payload with cage: 25 kg / 56 lb
- Max. speed: 2,4 s/rev
- Power from battery or power supply: from 24V to 35V
- Connection for Scorpio Focus and others lens control systems

Features:

- Compact two axes remote head for video and film cameras.
- Independent axes connected by cable.
- The Micro Scorpio Head can be positioned in overslung and underslung mode.
- Mounts available: Mitchell mount, tripod mount, a flat mount, 150 mm bowl mount and mount for Jimmy Jib crane.
- Both axes can be moved manually to balance the camera.
- Micro Scorpio Head can be controlled from up to 500 meters by cable serie RS485 or by wireless half-duplex microwave 2,4 Hz.
- All axes (Pan and Tilt, Focus, Iris and Zoom using the Scorpio Focus) are programable and repeatable.
- Programmable limits, damping and speed adjustment for all axes available.
- Four control units are available: JDR (Pan Bar), Joystick, Handheld and Handwheels.
- External hand commands to control lenses and head from different cranes like: Jimmy Jib, ABC, Felix ...



Big cage



Small cage underslung



Small cage overslung



SERVICEVISION BIS S.L.

Calle Ríos Rosas, 20
 08940 Cornellà de Llobregat
 Barcelona, Spain
 Phone +34 93 2238630
 Fax +34 93 2238631
comercial@servicevision.es

www.servicevision.es

SERVICEVISION USA

12035 Shermann Way
 North Hollywood
 CA 91605 USA
 Phone +1 (818) 623 1970
 Fax +1 (818) 623 1975
rental@servicevisionusa.com

www.servicevisionusa.com